



China Gold International has completed 50704.13m diamond drilling at the Jiama Project

China Gold International Resources Corp. Ltd. (TSX: CGG, HK: 2099) (the “Company”) is pleased to announce that its planned 50,000m diamond drill program has been successfully completed, and it has obtained all the assay results from the 95 drill holes at its fully owned Jiama Copper-Gold Poly-metallic Project.

This drill program focused on the extensions to the north, to the west, and to the center zone of the main skarn and hornfels ore bodies where previous drill holes have yielded significant inferred copper, molybdenum, gold and silver resources as seen in the Jiama ITR prepared by BD Asia dated September 9th, 2010. The drilling results will be included in an updated resource estimate which is currently being prepared. The updated resource estimate is expected to be completed in the first quarter of 2011.

A total of 50,704.13 meters in 95 diamond drill holes were completed, of which, 87 holes reached their planned depth while 5 holes were terminated earlier and 3 holes were abandoned due to the complex geological conditions. The high drilling success rate of 95 percent (88 hits out of 92 drill holes) demonstrates that the high-grade skarn type mineralization is continuous in the license area. The Company expects that the additional drill hole data will allow the Company to both upgrade some or all of the previously defined inferred resources estimated by BD Asia to the indicated and/or measured category and to expand the overall resource estimate of skarn and hornfels type mineralization on the property. In addition, the drilling program has identified a new standalone high grade quartz diorite porphyrite dyke type gold mineralization zone (drill hole ZK4504) which was discovered in the southwest corner part of the existing mining license area, which may add a significant amount of high-grade gold resources to the project, and a large deep grano-porphyry copper-molybdenum deposit underlying the current skarn and hornfels type deposits.

Significant results from the drill holes include:

1. The holes from exploration grid line 7 to 24 including ZK717, ZK719, ZK024, ZK025, ZK027, ZK815, ZK816, ZK817, ZK818, ZK819, ZK1617, ZK2417 and ZK2416 in the center area of deposit (the “Center Zone”) have intersected a more than 100m thick high grade skarn type mineralization zone which is more than 1000m long and 200-300m wide. It will greatly increase the skarn type resource to the Jiama Project.
2. The holes from exploration grid line 16 to 40 including ZK1617, ZK2416, ZK2417, ZK3215, ZK3216, ZK3217, ZK4013 and ZK4015 have intersected a maximum 900.29m hornfels Type mineralization zone with the copper equivalent grade of 0.7-0.8%.
3. The holes from exploration grid line 8 to 32 including ZK814, ZK1613, ZK1614, ZK1615, ZK2414, ZK2415, ZK2416 and ZK3214 have drilled 20 to 300m depth into the grano-porphyry type copper-molybdenum mineralization body, which may be the major porphyry ore body although the scale of porphyry ore body is unknown.

- The high grade gold mineralization section in the hole ZK4504 has shown the potential to find a standalone gold deposit in the Jiama deposit area.

The highlights of assay results from 92 drilling holes are as follows:

- ZK817: intersected a cumulative 451.50 meter mineralized body including 263.20 meters hornfels type mineralization zone at 0.18% copper, 0.03% molybdenum and 0.8 g/t silver; 188.30 meters skarn-type mineralization zone at 0.48% copper, 0.086% molybdenum, 0.24 g/t gold and 9.87 g/t silver, which includes 28.10 meters higher grade section from 667.90 to 696.0 meter at 1.22% copper, 0.13% molybdenum, 0.45 g/t gold and 23.62 g/t silver, and 22 meter higher grade section from 576.10 to 598.10 meter at 0.84% copper, 0.42 g/t gold, 20.83 g/t silver and 0.12% molybdenum.
- ZK1615: intersected a cumulative 471.10 meter mineralized body including 134.00 meters hornfelstype mineralization zone at 0.25% copper, 0.04% molybdenum and 1.10 g/t silver; 337.10 meters silicified biotite grano-porphyry type mineralization zone at 0.10% copper, 0.08% molybdenum and 1.0 g/t silver.
- ZK2417: intersected a cumulative 827.20 meter mineralized body including 446.0 meters of hornfels type mineralization zone at 0.36% copper, 0.03% molybdenum, 0.02 g/t gold and 1.16 g/t silver; 381.20 meters of hornfels and skarn mixed type mineralization zone at 0.25% copper, 0.07% molybdenum, 0.03 g/t gold and 2.32 g/t silver.
- ZK3217: intersected a cumulative 900.29 meter mineralized body at 0.24% copper, 0.06% molybdenum and 0.98 g/t silver.

"The results of year 2010's drilling program is encouraging," said Dr. Song Xin, the Chief Executive Officer of the Company, "the 900m thick hornfels type deposit near surface, the high grade Center Zone of skarn type mineralization body in the middle and the grano-porphyry type deposit mineralized zone at depth show a complicated porphyry copper deposit system in the Jiama area. We will continue drilling this year to further define the deep porphyry deposit and potential standalone gold deposit within the Jiama mine district after updating the NI 43-101 compliant resource report in the early 2011".

The assay results for all the 95 holes are summarized as below:

Hole ID	Intervals	Au(g/t)	Ag(g/t)	Cu(%)	Mo(%)	CuEQ	Mineralization Type
ZK017	8.00	0.02	1.38	0.13	0.11	0.93	Hornfels
	3.00	0.00	0.75	0.01	0.05	0.38	Skarn
	24.80	0.31	17.04	0.73	0.01	1.78	
	31.80	0.46	14.89	0.83	0.01	1.77	
ZK019	29.00	0.00	1.17	0.15	0.22	1.71	Skarn
	15.91	0.26	16.21	0.70	0.03	1.82	
ZK022	64.20	0.28	17.83	0.85	0.03	2.03	Skarn
ZK023	12.00	0.00	0.91	0.21	0.03	0.47	Hornfels
	4.00	0.00	0.70	0.26	0.03	0.52	
	37.12	0.00	2.46	0.43	0.02	0.72	

	26.10	0.13	10.39	0.45	0.04	1.32	Skarn
ZK024	24.00	0.03	2.02	0.30	0.02	0.58	Hornfels
	291.30	0.39	16.41	0.97	0.05	2.28	Skarn
ZK025	20.00	0.00	0.72	0.10	0.06	0.56	Hornfels
	4.00	0.00	0.45	0.06	0.05	0.43	
	4.00	0.00	0.51	0.07	0.05	0.42	
	182.66	1.53	5.70	0.34	0.07	1.41	Hornfels & Skarn
ZK027	14.00	0.02	0.73	0.08	0.04	0.43	Hornfels
	6.00	0.02	0.86	0.06	0.04	0.36	
	4.00	0.00	0.99	0.09	0.09	0.73	
	12.00	0.00	0.88	0.11	0.05	0.46	
	4.00	0.00	0.84	0.08	0.04	0.38	
	18.00	0.01	1.15	0.13	0.05	0.52	
	8.00	0.01	0.86	0.08	0.04	0.39	
	4.00	0.02	0.80	0.17	0.04	0.50	
	141.94	0.07	2.00	0.14	0.08	0.83	Hornfels & Skarn
ZK714	5.80	0.07	8.31	1.05	0.01	1.58	Hornfels
	9.00	0.04	5.28	0.38	0.15	1.70	Skarn
	4.30	0.50	38.20	1.15	0.00	3.30	
ZK717	60.00	0.13	6.37	0.73	0.02	1.21	Skarn
ZK719	8.00	0.00	1.01	0.26	0.00	0.32	Hornfels
	57.30	0.34	21.94	1.26	0.06	2.89	Skarn
ZK721	4.00	0.02	1.34	0.31	0.00	0.40	Hornfels
	2.85	0.02	2.57	0.36	0.00	0.55	
	4.00	0.02	3.01	0.35	0.01	0.58	
	4.30	0.53	1.62	0.24	0.00	0.45	
	17.97	0.18	4.60	0.27	0.06	0.98	Marble & Skarn
	4.00	0.38	8.59	0.44	0.04	1.22	
	6.76	1.14	41.60	2.09	0.02	4.62	
	7.00	0.25	11.32	0.53	0.00	1.20	
	6.74	0.40	23.72	1.10	0.02	2.54	Marble
ZK724	4.00	0.04	5.11	0.48	0.01	0.85	Hornfels & Skarn
	10.59	0.01	1.24	0.07	0.26	1.92	
	25.15	0.17	9.48	0.54	0.01	1.15	Skarn
ZK810	4.00	0.00	1.27	0.55	0.01	0.72	Hornfels & Skarn
	6.00	0.00	0.86	0.14	0.12	0.98	
	28.10	0.01	0.90	0.16	0.22	1.71	
	25.91	0.26	11.43	0.53	0.03	1.39	Skarn
ZK813	23.74	0.01	2.13	0.32	0.00	0.46	Hornfels
	4.00	0.01	0.63	0.15	0.07	0.68	
	22.94	0.02	2.33	0.43	0.05	0.90	Skarn & Porphyry
	76.64	0.60	14.48	0.63	0.02	1.68	

	5.00	0.00	0.85	0.08	0.11	0.88	
	9.00	0.12	11.38	0.51	0.02	1.27	
	22.00	0.00	0.56	0.02	0.16	1.17	Grano-porphry
ZK814	23.70	0.00	1.04	0.13	0.03	0.36	Hornfels
	4.00	0.00	0.77	0.09	0.05	0.44	
	10.00	0.00	0.78	0.20	0.04	0.51	
	12.00	0.00	1.42	0.26	0.00	0.35	
	32.90	0.02	2.35	0.34	0.09	1.07	
ZK815	8.00	0.05	1.05	0.27	0.02	0.49	Hornfels
	4.00	0.04	1.38	0.35	0.01	0.49	
	4.00	0.02	3.58	0.38	0.01	0.63	
	4.00	0.00	1.22	0.15	0.04	0.46	
	20.64	0.02	2.00	0.27	0.19	1.68	Skarn
132.84	0.53	16.59	0.90	0.06	2.23		
ZK816	59.16	0.00	1.08	0.36	0.02	0.52	Hornfels
	56.00	0.00	0.98	0.37	0.02	0.53	
	20.00	0.00	0.70	0.19	0.03	0.44	
	4.00	0.00	0.63	0.10	0.04	0.40	
	8.00	0.00	0.62	0.10	0.02	0.29	
	36.00	0.00	0.72	0.11	0.04	0.43	
	88.20	0.05	1.21	0.15	0.06	0.61	Skarn
136.20	0.42	17.97	1.04	0.09	2.70		
ZK817	4.00	0.00	0.67	0.18	0.04	0.47	Hornfels
	8.00	0.00	0.76	0.30	0.00	0.36	
	20.00	0.03	0.86	0.30	0.01	0.45	
	10.00	0.00	0.78	0.17	0.03	0.43	
	20.00	0.00	0.78	0.20	0.03	0.45	
	10.00	0.00	0.76	0.15	0.03	0.38	
	10.40	0.00	1.25	0.18	0.04	0.49	
	4.00	0.00	0.65	0.12	0.04	0.43	
	4.00	0.00	0.75	0.14	0.05	0.49	
	169.80	0.00	0.81	0.15	0.05	0.50	
	3.00	0.00	0.97	0.11	0.04	0.45	
	160.20	0.20	7.46	0.35	0.08	1.32	
28.10	0.45	23.62	1.22	0.13	3.45		
ZK818	10.00	0.00	0.96	0.36	0.02	0.53	Hornfels
	8.00	0.00	0.72	0.07	0.03	0.35	
	24.00	0.00	0.89	0.12	0.04	0.42	
	16.00	0.00	0.82	0.14	0.04	0.43	
	18.00	0.00	0.89	0.15	0.04	0.48	
	165.39	0.19	7.98	0.43	0.07	1.36	
	73.00	0.16	10.07	0.46	0.07	1.50	
	9.00	0.03	9.84	0.45	0.08	1.51	

ZK819	4.00	0.00	1.00	0.16	0.06	0.60	Hornfels
	10.00	0.00	0.71	0.10	0.03	0.38	
	14.00	0.00	0.92	0.16	0.04	0.47	
	4.00	0.00	0.86	0.16	0.04	0.47	
	6.00	0.00	0.76	0.07	0.03	0.34	
	12.00	0.00	0.78	0.12	0.03	0.40	
	4.00	0.00	0.93	0.14	0.07	0.66	
	28.00	0.00	1.39	0.20	0.02	0.41	
	4.00	0.00	0.77	0.09	0.04	0.41	
	126.90	0.08	6.76	0.42	0.07	1.29	
5.00	0.13	5.50	0.33	0.04	0.92		
2.27	0.06	5.36	0.30	0.04	0.85		
K1519	6.00	0.00	3.00	0.38	0.00	0.54	Hornfels
	4.00	0.00	2.09	0.35	0.02	0.57	
	23.97	0.79	3.54	0.21	0.07	1.01	
	20.00	0.00	1.54	0.22	0.06	0.73	
	72.49	1.16	31.23	1.39	0.16	4.36	Skarn
ZK1521	17.20	0.00	1.58	0.17	0.16	1.33	Hornfels
	6.00	0.02	6.11	0.39	0.26	2.47	Skarn
	4.40	0.33	20.05	0.99	0.05	2.43	
	8.00	1.22	55.82	2.70	0.01	5.93	Marble
ZK1523	6.00	2.19	0.56	0.02	0.00	0.44	Hornfels
	29.65	0.32	11.35	0.58	0.05	1.58	Skarn
ZK1525	11.50	0.22	15.51	0.76	0.00	1.65	Skarn
	2.00	0.97	21.70	0.75	0.00	2.14	
ZK1527	25.00	0.15	7.58	0.41	0.04	1.14	Skarn
	6.00	0.21	8.67	0.38	0.01	0.92	
ZK1528	Abandoned hole						
ZK1612	6.00	0.02	0.86	0.34	0.01	0.49	Hornfels
	26.00	0.02	1.04	0.32	0.01	0.45	
	8.00	0.02	1.19	0.29	0.01	0.42	
	19.00	0.11	8.26	0.53	0.04	1.26	Skarn
	28.40	0.34	25.05	1.21	0.01	2.65	
	43.06	0.22	15.30	0.80	0.03	1.82	
	3.00	0.06	5.23	0.28	0.04	0.81	
	9.00	0.20	15.19	0.79	0.01	1.69	
ZK1613	33.34	0.01	0.78	0.39	0.01	0.47	Hornfels
	4.00	0.00	0.73	0.37	0.02	0.53	
	9.00	0.00	1.18	0.27	0.02	0.45	
	41.40	0.00	0.74	0.13	0.04	0.47	
	18.00	0.00	0.91	0.21	0.02	0.43	
	10.00	0.00	0.71	0.17	0.02	0.37	
	62.70	0.02	0.65	0.07	0.04	0.40	Grano-porphyry

	16.00	0.00	0.56	0.04	0.04	0.34	
	28.00	0.00	0.52	0.04	0.06	0.47	
	6.00	0.00	0.69	0.05	0.07	0.55	
	46.00	0.00	0.61	0.03	0.06	0.47	
	22.00	0.00	0.55	0.03	0.09	0.70	
	58.00	0.00	0.58	0.03	0.07	0.55	
K1614	27.00	0.00	1.06	0.35	0.00	0.41	Hornfels
	4.00	0.00	0.74	0.09	0.06	0.56	
	10.36	0.00	0.83	0.18	0.04	0.46	
	11.00	0.00	0.82	0.12	0.04	0.41	
	8.10	0.00	0.98	0.20	0.03	0.46	
	4.00	0.00	0.80	0.03	0.09	0.67	
	4.10	0.00	0.72	0.06	0.04	0.36	
	8.90	0.00	0.76	0.07	0.04	0.36	Grano-porphry
	8.00	0.00	0.70	0.06	0.08	0.67	
	10.00	0.00	1.05	0.10	0.07	0.65	
	139.20	0.00	0.68	0.03	0.07	0.55	
	10.00	0.00	0.53	0.02	0.04	0.30	
	14.00	0.00	0.50	0.03	0.06	0.46	
	36.00	0.00	0.74	0.01	0.14	0.99	
4.00	0.00	0.58	0.03	0.04	0.32		
4.00	0.00	0.52	0.01	0.04	0.29		
ZK1615	66.00	0.00	1.15	0.38	0.01	0.52	Hornfels
	4.00	0.00	1.43	0.32	0.01	0.49	
	54.00	0.06	0.98	0.15	0.06	0.62	
	10.00	0.00	0.85	0.16	0.08	0.72	
	16.00	0.00	1.05	0.16	0.09	0.83	Grano-porphry
	317.10	0.00	1.04	0.10	0.08	0.67	
	4.00	0.00	0.59	0.02	0.06	0.45	
ZK1617	12.00	0.00	0.99	0.29	0.01	0.38	Hornfels & Porphyry
	54.86	0.00	1.05	0.49	0.01	0.60	
	50.00	0.00	0.81	0.28	0.02	0.48	
	18.00	0.00	0.77	0.25	0.03	0.49	
	14.00	0.00	1.49	0.20	0.03	0.51	
	4.00	0.00	1.02	0.12	0.06	0.57	
	65.43	0.00	0.93	0.17	0.04	0.49	
	24.00	0.00	0.87	0.16	0.05	0.54	
	28.33	0.00	0.99	0.21	0.06	0.69	
	24.00	0.00	0.71	0.14	0.04	0.45	
	30.00	0.01	3.60	0.11	0.04	0.54	
	201.21	0.14	9.28	0.51	0.02	1.19	Skarn
	41.41	0.00	1.53	0.09	0.17	1.30	
ZK1619	54.00	0.00	1.06	0.37	0.02	0.54	Hornfels
	8.00	0.00	0.82	0.23	0.04	0.54	

	10.00	0.00	1.13	0.18	0.03	0.47		
	18.00	0.00	1.08	0.18	0.03	0.46		
	4.00	0.00	1.22	0.14	0.04	0.45		
	8.00	0.00	1.10	0.21	0.03	0.47		
	14.00	0.00	1.11	0.15	0.06	0.59		
	69.10	0.01	0.79	0.17	0.04	0.49		
	12.00	0.00	0.75	0.17	0.04	0.46		
ZK1620	28.00	0.15	1.33	0.45	0.01	0.61	Hornfels	
	17.40	0.00	1.20	0.34	0.01	0.49		
	13.21	0.00	0.95	0.24	0.03	0.50		
	14.00	0.82	1.08	0.28	0.02	0.63		
	6.00	0.00	0.91	0.24	0.07	0.74		
	6.00	0.00	0.83	0.18	0.03	0.41		
	8.00	0.04	4.44	0.22	0.02	0.61		
	6.00	0.04	2.68	0.29	0.01	0.48		
	14.50	0.06	6.45	0.39	0.02	0.91		
	6.00	0.00	1.35	0.61	0.02	0.82		
	2.00	0.13	8.53	0.42	0.01	0.94	Marble	
ZK1621	10.00	0.00	0.79	0.27	0.01	0.40	Hornfels	
	8.85	0.00	1.72	0.54	0.01	0.68		
	4.00	0.00	0.71	0.09	0.04	0.40		
	10.00	0.00	0.85	0.14	0.03	0.40		
	26.00	0.00	0.90	0.11	0.03	0.40		
	4.00	0.00	0.85	0.15	0.13	1.11		
	32.00	0.00	0.85	0.19	0.04	0.47		
	12.00	0.00	0.72	0.10	0.05	0.49		
	10.00	0.00	0.65	0.09	0.06	0.56	Porphyry	
	16.00	0.00	0.64	0.09	0.04	0.38		
	14.00	0.00	0.61	0.06	0.04	0.33		
	ZK1624	6.39	0.00	0.60	0.09	0.04	0.38	Hornfels
		6.00	0.00	0.72	0.15	0.08	0.71	
10.00		0.00	1.02	0.10	0.17	1.32	Hornfels	
8.00		0.00	0.59	0.07	0.03	0.33		
22.00		0.00	0.61	0.09	0.03	0.35		
24.00		0.00	0.65	0.09	0.03	0.32		
6.00		0.00	1.68	0.19	0.03	0.51		
4.30	0.00	1.68	0.19	0.03	0.51			
3.00	0.00	0.73	0.12	0.05	0.47	Skarn		
4.00	0.00	0.78	0.12	0.05	0.48			
	38.40	0.17	7.03	0.40	0.03	1.03		
ZK2315	21.33	1.66	75.73	3.11	0.03	7.62	Skarn	
ZK2317	12.00	0.06	6.36	0.44	0.00	0.82	Hornfels	
	12.44	0.20	17.04	1.07	0.01	2.04		
ZK2319	8	0	0.63	0.04	0.1	0.75	Skarn	

	10.02	0.4	7.16	0.23	0.01	0.76	
ZK2322	8	0	0.446	0.0268	0.0877	0.65	Skarn
	17.44	0.147	6.26	0.357	0.018	0.84	
ZK2412	26	0.008	1.028	0.308	0.0135	0.46	Hornfels
	10	0.102	0.738	0.448	0.005	0.54	
	4	0	1.84	0.43	0.04	0.80	
	12.00	0.00	0.84	0.24	0.02	0.39	
	30.00	0.00	0.80	0.31	0.01	0.41	
	16.00	0.00	0.89	0.29	0.03	0.57	
	15.60	0.00	0.98	0.34	0.02	0.51	
	6.00	0.00	0.67	0.11	0.03	0.33	
	6.00	0.00	0.74	0.14	0.03	0.40	
	14.09	0.14	8.74	0.43	0.00	0.93	Skarn
ZK2413	8.27	0.00	1.76	0.52	0.12	1.42	Hornfels & Porphyry
	43.32	0.00	0.97	0.41	0.01	0.53	
	3.40	0.00	0.88	0.42	0.00	0.48	
	46.50	0.00	0.94	0.35	0.01	0.44	
	70.00	0.00	0.95	0.35	0.02	0.52	
	4.00	0.00	0.81	0.11	0.07	0.64	
	4.00	0.00	0.74	0.14	0.09	0.77	
	32.00	0.00	0.77	0.20	0.02	0.41	
	17.50	0.55	29.50	1.29	0.00	2.97	Skarn
ZK2414	27.97	0.00	1.01	0.26	0.03	0.50	Hornfels
	4.11	0.00	0.36	0.43	0.00	0.47	
	120.34	0.01	0.18	0.43	0.02	0.57	
	95.88	0.00	0.27	0.38	0.04	0.67	
	138.00	0.00	0.00	0.12	0.08	0.68	Grano-porphyry
	98.00	0.00	0.54	0.09	0.09	0.71	
	24	0	0.53	0.027	0.09	0.67	
ZK2415	118	0.004	0.911	0.504	0.015	0.66	Hornfels
	230	0.002	0.889	0.419	0.027	0.65	
	8.00	0.00	0.72	0.26	0.03	0.53	
	46.00	0.01	0.79	0.27	0.05	0.64	
	279.20	0.00	0.77	0.16	0.05	0.55	Hornfels & Porphyry
ZK2416	75.90	0.00	1.01	0.35	0.03	0.58	Hornfels
	104.90	0.00	0.85	0.38	0.01	0.51	
	8.00	0.00	0.79	0.32	0.02	0.47	
	94.00	0.03	1.03	0.32	0.03	0.61	
	36.00	0.00	0.08	0.26	0.04	0.53	
	56.00	0.00	1.08	0.27	0.04	0.58	
	16.00	0.01	0.82	0.17	0.04	0.47	
380.40	0.06	3.66	0.34	0.09	1.12	Skarn & Porphyry	
ZK2417	24.00	0.02	1.04	0.35	0.00	0.43	Hornfels

	422.00	0.02	1.16	0.36	0.03	0.65	
	381.20	0.03	2.32	0.25	0.07	0.85	Hornfels & Skarn
ZK2418	156.20	0.04	1.40	0.47	0.01	0.60	Hornfels
	38.00	0.00	1.02	0.31	0.02	0.48	
	48.00	0.00	1.24	0.29	0.04	0.60	
	8.00	0.00	1.10	0.17	0.05	0.55	
	26	0.02	1.388	0.154	0.0507	0.58	
	14	0	1.667	0.23	0.03	0.52	
	66	0	1.3	0.192	0.038	0.52	
	50	0	1.05	0.176	0.0539	0.60	
	148	0	0.928	0.197	0.045	0.56	
	28	0	0.695	0.161	0.048	0.53	
	82.7	0	1.08	0.18	0.0429	0.53	
73.64	0.084	6.93	0.39	0.0779	1.31	Skarn	
K2419	62	0.003	1.1758	0.47	0.001	0.54	Hornfels
	26	0.047	1.03	0.318	0.003	0.40	
	68	0.015	1.397	0.377	0.014	0.55	
	52	0	1.08	0.38	0.012	0.52	
	8	0	1.047	0.264	0.0467	0.64	
	8	0	0.832	0.162	0.0444	0.51	
	8	0	1.407	0.242	0.043	0.61	
	187.65	0.002	0.913	0.241	0.0404	0.57	
	95.7	0	0.976	0.193	0.0417	0.53	
	8	0	1.33	0.259	0.0513	0.68	
	8	0	0.772	0.131	0.0576	0.57	
101	0.039	3.514	0.257	0.05	0.79	Skarn	
ZK2420	Abandoned hole						
ZK3109	9.6	0	2.4	0.19	0.065	0.76	Hornfels
	6.5	0.633	42.01	1.68	0.012	4.10	Skarn
ZK3111	4	0	0.69	0.0303	0.034	0.30	Skarn
	7	0.06	11.838	0.591	0.009	1.29	
ZK3116	14	0.345	16.538	0.854	0.002	1.81	Skarn
ZK3211	6	0	0.796	0.35	0.0166	0.51	Hornfels
	64	0	0.89	0.31	0.022	0.51	
	36	0	0.973	0.324	0.016	0.49	
	38.4	0.066	2.57	0.2709	0.0122	0.50	
ZK3212	Abandoned hole						
ZK3213	6.00	0	0.736	0.205	0.019	0.37	Hornfels
	12	0.121	2.643	0.4413	0.0173	0.72	
	20	0	0.79	0.43	0.024	0.64	
	194.95	0.0058	0.992	0.442	0.01837	0.62	
	48	0	0.81	0.379	0.0242	0.59	

	58.76	0	1.158	0.3304	0.042	0.68		
	7	0.534	44.657	1.513	0.0005	3.98	Skarn	
	14	0.287	15.35	0.851	0.0239	1.88		
	15.65	0.304	7.64	0.377	0.0244	1.00		
	11.16	0	1.507	0.095	0.0387	0.44		
ZK3214	209.8	0.05	1.37	0.479	0.012	0.64	Hornfels	
	60.01	0	1.278	0.553	0.0255	0.80		
	52	0	0.827	0.371	0.0627	0.85		
	42	0	0.7557	0.2179	0.032	0.48		
	64	0	0.828	0.2764	0.0358	0.57		
	52	0	0.895	0.159	0.0613	0.63		
	45.19	0	0.666	0.098	0.0567	0.52		
	179	0	0.637	0.1	0.071	0.62		Hornfels & Grano-porphry
	ZK3215	460	0	1.09	0.375	0.0412		0.72
		400.2	0.009	1.2446	0.161	0.089	0.84	
ZK3217	357.09	0	1.187	0.399	0.0204	0.60	Hornfels	
	6	0	0.95	0.164	0.086	0.81		
	537.2	0	0.814	0.173	0.0723	0.71		
ZK3218	26	0	1.29	0.614	0.018	0.81	Hornfels	
	18	0	0.817	0.367	0.007	0.46		
	26	0	0.984	0.407	0.008	0.51		
	18	0.01	2.01	0.401	0.008	0.56		
	20	0	0.893	0.288	0.003	0.36		
	156.53	0.01	0.962	0.389	0.012	0.52		
	36	0	1.166	0.344	0.0134	0.50		
	4	0	1.16	0.26	0.037	0.58		
	14	0	0.69	0.1619	0.0468	0.52		
	6	0	0.77	0.154	0.069	0.67		
	104	0	0.83	0.149	0.0634	0.63		
	38	0	0.94	0.157	0.054	0.58		
	22	0	0.779	0.123	0.04	0.44		
	6	0	0.67	0.117	0.034	0.39		
	86	0	0.847	0.124	0.057	0.56		
	20	0	0.63	0.089	0.033	0.35		
19	0	0.637	0.0316	0.0804	0.62	Skarn		
ZK3219	22	0	0.857	0.373	0.002	0.43	Hornfels	
	8	0	1.43	0.44	0.002	0.53		
	10	0	1.496	0.596	0.002	0.69		
	32	0	1.12	0.436	0.008	0.55		
	32	0	0.89	0.312	0.0137	0.45		
	6	0.04	1.046	0.403	0.0117	0.55		
	12.69	0	1	0.335	0.011	0.46		
	8	0.025	0.95	0.277	0.004	0.36		

	14	0.0157	1.171	0.349	0.007	0.46	
	22	0	1.04	0.216	0.027	0.46	
	28	0	0.727	0.2304	0.0506	0.62	
	6	0	0.656	0.167	0.0345	0.44	
	91.92	0.001	0.835	0.2	0.039	0.51	
	12	0	0.615	0.075	0.0445	0.41	
	6	0	0.56	0.08	0.037	0.36	
ZK3903	No Significant mineralization						Skarn
ZK3905	3	0.146	8.936	0.737	0.005	1.27	Skarn
	3	0	0.64	0.0137	0.099	0.73	
	11	0.199	12.04	0.595	0.0112	1.35	
ZK3907	6.51	0.718	10.29	0.226	0.002	0.91	Skarn
ZK3909	9	0.05	1.05	0.1018	0.0708	0.65	Skarn
	3	0.5	19.61	0.86	0.003	2.01	
	7.63	0.1445	8.489	0.407	0.016	0.99	
ZK3912	8	0.183	10.11	0.37	0.0004	0.94	Skarn
ZK4007	10	0	1.07	0.299	0.007	0.40	Hornfels
	6	0	8.84	0.488	0.007	1.00	
	8	0	5.1	0.449	0.009	0.78	
	25	0	1.287	0.229	0.0239	0.46	
	11.63	0.023	5.706	0.718	0.0178	1.15	Skarn
	5	0.206	10.744	0.395	0.0138	1.10	
	5	0.036	8.46	0.344	0.0178	0.92	
ZK4009	12.33	0.062	2.653	0.47	0.091	1.25	Hornfels
	11	0.0145	3.677	0.076	0.033	0.50	
	21.86	0.188	3.04	0.142	0.0255	0.51	
	24	0.232	12.67	0.578	0.005	1.33	Skarn
	6.6	0.353	19.428	1.112	0.001	2.21	
ZK4010	6	0	1.643	0.344	0.009	0.49	Hornfels
	10	0	1.83	0.3997	0.0151	0.60	
	8	0	1.04	0.292	0.009	0.41	
	4	0	2.42	0.372	0.017	0.62	
	10.00	0.00	1.84	0.20	0.03	0.50	
	4.00	0.00	1.54	0.21	0.12	1.12	
	3.50	0.00	1.43	0.31	0.01	0.42	
	8.00	0.00	1.23	0.12	0.05	0.53	
	8.00	0.00	1.63	0.27	0.02	0.48	
	41.23	0.01	2.78	0.25	0.02	0.51	
	6.00	0.16	10.27	0.43	0.03	1.17	Skarn
	14.00	0.68	32.59	1.45	0.01	3.35	
	13.21	0.19	13.09	0.54	0.01	1.30	
ZK4011	4.00	0.00	1.06	0.39	0.02	0.55	Hornfels
	8.00	0.00	1.41	0.47	0.01	0.60	

	18.00	0.00	0.98	0.29	0.02	0.46	
	18.00	0.00	1.04	0.31	0.02	0.51	
	66.00	0.00	0.96	0.32	0.02	0.49	
	11.40	0.00	1.09	0.25	0.02	0.46	
	8.73	0.00	0.86	0.20	0.02	0.37	
	8.00	0.00	1.11	0.21	0.03	0.44	
	4.00	0.00	1.13	0.24	0.05	0.65	
	61.95	0.05	4.85	0.39	0.02	0.81	
	7.20	0.00	1.30	0.17	0.04	0.48	
	97.64	0.18	18.68	1.07	0.02	2.20	
ZK4013	4.00	1.32	0.73	0.02	0.04	0.55	Hornfels
	12.00	0.16	2.63	0.37	0.05	0.85	
	22.17	0.00	0.86	0.30	0.02	0.49	
	220.70	0.01	1.34	0.49	0.02	0.68	
	12.00	0.00	1.51	0.34	0.02	0.58	
	33.43	0.00	1.52	0.28	0.03	0.55	
	12.00	0.00	1.02	0.16	0.02	0.38	
	102.00	0.00	1.25	0.24	0.04	0.55	
	62.00	0.00	1.77	0.27	0.09	0.96	
ZK4015	4.00	0.00	15.75	0.46	0.01	1.34	Hornfels
	18.00	0.00	3.94	0.28	0.01	0.54	
	294.00	0.00	1.01	0.43	0.01	0.56	
	18.00	0.00	1.73	0.32	0.02	0.54	
	4.00	0.00	0.58	0.07	0.03	0.33	
	10.00	0.00	0.85	0.23	0.01	0.36	
	10.00	0.00	0.76	0.13	0.06	0.55	
	5.00	0.00	1.05	0.21	0.02	0.40	
	61.75	0.21	8.55	0.56	0.05	1.41	Skarn
ZK4016	8.00	0.85	0.82	1.56	0.02	1.89	Hornfels
	46.00	0.00	1.35	0.30	0.01	0.43	
	90.00	0.05	1.31	0.33	0.01	0.51	
	6.00	0.00	1.05	0.36	0.01	0.47	
	8.00	0.00	0.95	0.28	0.02	0.43	
	60.00	0.01	1.28	0.32	0.02	0.50	
	10.00	0.00	1.15	0.24	0.03	0.51	
	8.00	0.00	0.68	0.16	0.03	0.41	
	34.47	0.01	1.54	0.19	0.07	0.75	Skarn
ZK4302	3.89	0.00	2.36	0.21	0.01	0.42	Hornfels & Skarn
	12.00	0.02	1.80	0.23	0.02	0.49	
ZK4304	54.21	0.18	18.75	0.32	0.03	1.55	Skarn
ZK4306	5.75	0.63	31.16	1.60	0.03	3.60	
ZK4503	6.00	0.01	2.22	0.05	0.08	0.71	Skarn

	5.00	0.05	2.21	0.18	0.02	0.41	
	22.90	0.39	13.54	0.47	0.02	1.40	
ZK4504	47.30	4.34	1.75	0.00	0.00	0.87	Diorite Poryphrite
ZK4703	28.76	2.03	7.35	0.25	0.00	1.02	Skarn
ZK4704	22.00	0.58	48.58	2.43	0.13	5.97	Skarn
	6.00	0.12	340.10	0.32	0.01	18.45	
ZK4705	6.00	0.02	19.99	0.00	0.00	1.08	Marble
ZK4707	4.00	0.02	4.26	0.25	0.00	0.48	Skarn
ZK4710	10.03	0.41	36.94	1.52	0.01	3.63	Skarn
ZK4712	7.00	0.2556	5.46	0.15	0	0.49	Skarn
	4.00	0	2.62	0.315	0.005	0.49	Hornfels
	20.75	0.065	5.42	0.68	0.005	1.01	
ZK4802	5.00	0.278	11	0.364	0.0196	1.13	Skarn
	3.00	0.167	10.11	0.339	0.0164	1.02	
	30.00	0.198	18.15	0.908	0.0157	2.01	
	61.20	0.4227	34.49	1.415	0.0119	3.40	
	11.30	0.427	66.73	2.968	0.0169	6.70	
	41.60	0.148	14.95	0.447	0.009	1.33	
	14.30	0.11	8.98	0.326	0.052	1.18	
	38.00	0.08	12.104	0.389	0.02	1.18	
ZK4806	6.00	0	6.48	0.283	0.006	0.67	Hornfels
	4.00	0.195	20.85	0.37	0.015	1.61	
	32.62	0.112	13.62	0.266	0.0157	1.12	
	54.00	0.0088	6.88	0.363	0.041	1.01	
	18.91	0	0.859	0.121	0.0398	0.44	
	6.00	0	1.01	0.1	0.0375	0.41	
	121.92	0.665	22.35	1.287	0.0295	2.79	Skarn
ZK4808	8.98	0.011	3.372	0.2205	0.0349	0.64	Hornfels & Skarn
	6.00	0	0.99	0.28	0.048	0.66	
	10.00	0	0.688	0.137	0.023	0.33	
	6.19	0	1.49	0.356	0.009	0.50	
	4.00	0	2.715	0.3742	0.0047	0.55	
	56.40	0.048	10.18	0.3959	0.0274	1.13	
	9.30	0	2.19	0.296	0.006	0.45	
26.80	0.087	8.819	0.507	0.0126	1.08	Skarn	
ZK4902	3.00	0.04	7.18	0.35	0.05	1.09	Skarn
	6.00	0.07	5.40	0.27	0.02	0.68	
ZK4903	1.00	0.20	4.95	0.1436	0.07249	0.94	Skarn
	1.00	0.08	11.4	0.8288	0.0001	1.45	
ZK5204	21.28	0.03	13.95	0.55	0.11	2.05	Skarn

	14.00	0.05	13.09	0.25	0.02	1.10	
	112.34	0.12	28.96	0.49	0.02	2.16	
ZK5202	8.20	0.11	11.59	0.38	0.05	1.38	Skarn
K5604	13.11	0.00	1.75	0.04	0.07	0.61	Skarn
	21.86	0.32	22.81	0.48	0.00	1.77	
	5.00	0.22	10.06	0.34	0.02	1.03	
	53.00	0.11	8.45	0.35	0.13	1.71	
	82.00	0.08	8.19	0.33	0.06	1.21	
ZK6302	No Significant mineralization						Marble
Elephant Back MT ZK001	No Significant mineralization						Marble
Elephant Back MT ZK003	14.57	6.50	8.41	0.12	0.05	2.07	Hornfels
Elephant Back MT ZK006	5.00	0.05	9.70	0.36	0.12	1.78	Marble
	4.00	0.00	0.51	0.00	0.05	0.39	Grano-porphyry
	19.47	0.00	2.55	0.07	0.05	0.58	Grano-porphyry & Marble
Elephant Back MT ZK008	No Significant mineralization						Marble

Note: Cutoff grades are 0.3% for copper, or 0.03% for molybdenum, or 0.5 g/t for gold. The interval is a drill intercept width; the true thickness is unknown yet although the mineralized body is in the tabular shape.

EQCu is calculated based on the following formula and 100% recovery rates for all the metals are used:

$$EQCu = Au(g/t) * 0.18 + Ag(g/t) * 0.053 + Cu(\%) * 1 + Mo(\%) * 6.87 + Pd(\%) * 0.32 + Zn(\%) * 0.34$$

SAMPLING, ASSAYING, QUALITY CONTROL AND QUALIFIED PERSON

Sample preparation and analysis for the Jiama core samples were undertaken by the Southwestern Metallurgical Geology Analytical Center (the “Southwest Center”) in Pengzhou, Sichuan Province, which is an accredited laboratory by the Chinese National Accreditation Board for Laboratories (“CNAL”), and Ministry of Land and Mineral Resources of China (“MOLR”). The Southwest Center set up a sample preparation facility in the Jiama core storage warehouse. Sample preparation was undertaken by the Southwest Center’s personnel. Drill core samples were cut in halves using a diamond saw first.

One-half of the drillcores were sampled and assayed using the standard analytic methods specified in “The Quality Administration Standards for Analysis in Geological and Mineral Resource Laboratories” (DZ0130-94) promulgated by the former Ministry of Geology and Mineral Resources of China. Gold grades were determined by an aqua regia + fluoride digestion, reactivated carbon concentrating, and atomic absorption spectroscopy (“AAS”) procedure. Copper, lead, zinc, molybdenum, and silver grades were determined using an aqua regia + hydrofluoric acid + perchloric acid digestion and Inductively Coupled Plasma Atomic Emission Spectrometry (“ICP-AES”) or AAS procedure. All samples were analyzed for the above six metals. All the assays were completed at the Southwest Metallurgical Geology and Test Center lab in Pengzhou City, Sichuan Province, China. To maintain independent quality control on the laboratory, 2% of duplicate, blank

and standard samples respectively were included in the all assay samples. The laboratory also used an extensive range of internal standards. External check assays were routinely performed on check samples submitted independently by the Company to National Geological Sample Test Center in Beijing, China, which holds the Class A Geological and Mineral Sample Assay Qualification granted by MOLR. Further information in relation to the Jiama Project and technical information surrounding the Jiama Project can be found on the website www.sedar.com.

Quality control and assurance programs are implemented in line with the standards of National Instrument 43-101. The exploration program on the Jiama Project is managed by Dr. Tang Juxin, a senior researcher from Geology Academy of China. It is supervised by Dr. Yingting (Tony) Guo, P. Geo and an exploration Manager of the Company and a Qualified Person as defined under National Instrument 43-101. Dr. Guo has visited the Jiama Project in May, and October of 2010. Dr. Guo supervised the scientific and technical information contained in this news release.

About China Gold International Resources Corp. Ltd

China Gold International Resources Corp. Ltd. is a mining company whose principal property is the CSH Gold Mine. The Company began producing gold at the CSH Gold Mine in July 2007. In addition the Company now owns the Jiama Copper Poly-metallic Project which is one of the largest copper poly-metallic mines in China. It is a large scale poly-metallic deposit consisting of copper, molybdenum, gold, silver, lead and zinc and is currently in the production stage. The Company's shares are listed on the TSX under the symbol "CGG" and on the HKSE under stock code "2099". China National Gold Group Corporation, a Chinese state-owned enterprise owns approximately 39% of China Gold International Resources Corp. Ltd. shares.

For additional information:

China Gold International Resources Corp Ltd.
Frank Lagiglia Investor Relations Manager
Tel: +1.778.668.9883
Email: info-chinagoldintl@chinagoldintl.com
Website: www.chinagoldintl.com

Forward-looking statements

Certain statements made herein, and other statements relating to matters that are not historical facts and statements of our beliefs, intentions and expectations about developments, results and events which will or may occur in the future, constitute "forward-looking information" within the meaning of applicable securities legislation. Forward-looking information and statements are typically identified by words such as "anticipate", "could", "should", "expect", "seek", "may", "intend", "likely", "plan", "estimate", "will", "believe" and similar expressions suggesting future outcomes or statements regarding an outlook. All such forward-looking information and statements are based on certain assumptions and analysis made by China Gold International Resources Corp Ltd management in light of their experience and perception of historical trends, current conditions and expected future developments, as well as other factors management believes are appropriate in the circumstances. These statements, however, are subject to a variety of risks and uncertainties and other factors that could cause actual events or results to differ materially from those projected in the forward-looking information or statements. Important factors that could cause actual results to differ from these forward-looking statements include those described under the heading "Risks and Uncertainties" elsewhere in the Company's MD&A filed at www.SEDAR.com. The reader is cautioned not to place undue reliance on forward-looking information or statements. Except as required by law the Company does not assume the obligation to revise or update these

forwardlooking statements after the date of this document or to revise them to reflect the occurrence of future, unanticipated events.